



INTERNATIONAL TESTING CENTRE

TEST CERTIFICATE

Customer Name: Yaqoob Tanners.

Test report No. : 2K2401276

Contact person : Mr.

Date of Entry : 19.01.2024

Address : 67/8, Pol-

: 67/8, Pokharpur, K.D.A. Colony, Jajmau, Kanpur (U.P.) - 208010

Sample description: Safety Shoe (Size – 8), Colour: Green

Page : 1/1

Details

: Article - Volcano,

Brand:- Zain

Specification

: IS - 15298 (P-2) : 2016, Classification - I

Testing period : 22.01.2024 to 30.01.2024

Reporting date: 01.02.2024

Laboratory Environment

Temperature

27 +/-2°C

Relative Humidity

65+/-5%

The sample was conditioned for 48 hours

S.No.	Test Name	Clause	Value	Requirement	Conformity
1.Test	on Whole Footwear (5.3)	•	•		₁ = J
a.	Upper/Outsole bond	5.3.1.2	4.7 N/mm	4 N/mm (minimum)	Conforms
b.	Impact resistance – 200 J	5.3.2.3	16.0 mm No crack was observed.	14.0 mm (min.), toecap shall not develop any cracks on the test axis.	Conforms
c.	Compression resistance- 15 kN	5.3.2.4	18.0 mm	14.0 mm (min.)	Conforms
d.	Slip resistance – 5.3.5 (SRC)	5.3.5.4	0.33 0.41 0.14 0.18	Coefficient of friction for Condition A(Forward heel slip)≥0.28 Condition B(Forward flat slip)≥ 0.32 Condition C(Forward heel slip)≥0.13 Condition D(Forward flat slip)≥ 0.18	Conforms
e.	Hot Contact (At 300°C)	6.4.1	No melt / damage observed		Conforms
2.Test	on Upper (5.4)	A			
a.	Tear strength	5.4.3	199 N	120 N (minimum)	Conforms
b.	Tensile strength	5.4.4	33.3 N/mm ²	15 N/mm ² (minimum)	Conforms
3.Test	on Sole – 5.8				
a.	Abrasion resistance	5.8.3	147 mm ³	150 mm ³ (max.) density ≥ 0.9 g/cm ³	Conforms

Rajesh Mishra (Senior Technologist) Authorized signatory Shailendra Saxena
(Head -Physical Laboratory)
Authorized signatory

*** END OF TEST REPORT ***

- 1. This report is for technical information of the client only. Not for advertisement, promotion, publicity litigation or legal purpose.
- 2. This institute shall be indemnified against any dispute arising out of issue of this report.
- 3. Sample not drawn by FDDI and the test results relate only to the material tested.
- 4. The report must not be reproduced except in full without approved of FDDI.